

PRODUCT RANGE MATERIAL HANDLING





OUR MISSION

We empower operators to accomplish more, while working in the toughest conditions and tightest situations. When our customers have the will, we provide the way.



ELECTRIC FORKLIFTS

•	Capacity	tons
	Wheel type / Rated output	3/4 W / V
	Load center	mm

Model range



B20T-7 PLUS Series

•	1.5 – 2
	3-wheel / 48
٠	500
•	B15/18/20T-7 Plus



B20X-7 PLUS Series 1.6 – 2 4-wheel / 48 500 B16/18/20X-7 Plus



.

•

B15NS Series

•	1.5 – 2
	4-wheel / 48
•	500
	B15/18NS, B20NSC



B25X-7 PLUS Series

•	2.5 - 3.5
	4-wheel / 80
•	500
•	B25/30/35X-7 Plus



B25NS Series

- 2.5 3.5 4-wheel / 48/80 500
 - B25/30/35NS



B45X-7 Series

4 - 5
4-wheel / 80
500
B40/45/50X-7, B50XC-7





B60NX Series

	4-wheel / 80
•	600
•	B60/70/80NX



B80NS Series

	8 - 10
	4-wheel / 96
D	600/900
	B80/100NS, B80NSC

tons

l/kW

mm



DIESEL FORKLIFTS

Capacity

- Engine / Rated output
- Load center
- Model range





•	2 - 3.5
	2.4 / 46
•	500
	D00/05/00/000 0 D050 0

D20/25/30/33S-9, D35C-9



D25NXP	Series

•	2-3.5
	2.4 / 42.6
	500
•	D20/25/30/33/35NX Plus

D20/25/30/33/35NX Plus



D25NXS Series 25 25

2.5 - 3.5
2.4 / 46
500
D25/30/33/35NXS



	D45S(C)-9 Series	
)	4 - 5.5	

- 4/55.4 500/600

۲

D40/45/50/55SC-9, D50/55C-9



D70S-9 Series

•	6 - 9
	5,5 / 80.9

- 600
 - D60/70/80/90S-9



D(V)160S-9 Series

	- (-)
•	10 - 16
	5.9 / 129
•	600 / 1 200
•	D100/120/140/160S-9, DV160S-9

LPG FORKLIFTS

•	Capacity	tons
	Engine / Rated output	l/kW
	Load center	mm

Model range



G18S-5 Series

•	1.5 – 2
	2.4 / 37.4
	500
•	G15/18S-5, G20SC-5



G20/25/30/33E-7, G35EC-7



	G25NXP Series
•	2.5 - 3.5
	2.5 / 42.9
•	500
•	G25/30/33/35NX Plus



G40S(C)-7 Series

4 – 5.5	
3.8 / 69	
500/600	

G40/45/50/55SC-7, G50/55C-7



G60S-7 Series

•	6 – 7
	4.3 / 93.8
	600
•	G60/70S-7



REACH TRUCKS

•	Capacity	tons
	Max. lifting height	mm
	Rated output	٧
•	Load center	mm
٠	Model range	

•





BR14J 9-Series

•	1.4 – 1.6
	8 720
•	48
•	600
•	BR14/16J-9

BR14JW 9-Series
1.4 – 1.6
12 530
48
600
BR14/16JW-9



BR20JW 9-Series

•	2 – 2.5
	13 000
•	48
•	600
•	BR20/25JW-9



PALLET TRUCKS

•	Capacity	tons
	Operator / Drive type	
•	Rated output	V
•	Load center	mm
•	Model range	



ित्रो	
× Bohcz	

LPM15N-7 Series

•	1.5 – 2
	Walkie, Middle drive
•	24/48
•	600
•	LPM15/20N-7

BPL18S-7 Series	
1.8 – 2	
Walkie, Lateral drive	
24	
600	
BPL18/20S-7	



BPM20S-7 Series

•	2
	Walkie, Middle drive
•	24
٠	600
•	BPM20S-7

X BANCH	

BPR20S-7 Series


•

•

2	
Platform, Middle drive	
24	
600	
BPR20S-7	



STACKERS





BSR16S-7 Series

•	1.6
	Platform
•	24
•	600
•	BSR16S-7

ſ	53L14/10/203-7
	S Foreign

BDL13S-7 Series 1.25 / 1.8

Double stacker walk	ie
24	
600	
BDL13S-7	





•	1.25 / 2
	Double stacker, Platform
•	24
•	600

BDR13S-7



340 MACHINES / 150 ATTACHMENT FAMILIES / 1 TOUGH ANIMAL



SKID-STEER LOADERS



COMPACT TRACK LOADERS



COMPACT WHEEL LOADERS



WAREHOUSE EQUIPMENT



FORKLIFTS

COMPACT EXCAVATORS



TELEHANDLERS



LIGHT COMPACTION EQUIPMENT

SMALL ARTICULATED

LOADERS





AIR COMPRESSORS



MOWERS



ATTACHMENTS



COMPACT TRACTORS



DOOSAN

Doosan Bobcat EMEA, U Kodetky 1810, 263 12 Dobříš, Czech Republic

Bobcat is a Doosan Company. Doosan is a global leader in construction equipment, power & water solutions, engines, and engineering proudly serving customers and communities for more than a century. I Bobcat and the Bobcat logo are registered trademarks of Bobcat Company in the United States and various other countries. ©2024 Bobcat Company. All Rights Reserved.